	Response to Pre-Bid Queries for RFP					
	FP Ref. No. CPCM-07/2025-26 Date: 02-July-2025 GEM Bid No. GEM/2025/B/6402236					
RFP N		RFP for Procurement of Cloud based Web Application and API Protection (WAAP)				
Sr. No	. Page No.	RFP Clause	Clause Description	Query	StockHolding Remarks	
1	8	Eligility Criteria	Bidder should have an average annual turnover of at least ₹ 2.8 Crores per annum for last three financial years (2021-22, 2022-23 and 2023-24). It should be of individual company and not of should be of individual company and not of Group of Companies	The requested turnover asked for Bidder is very less. To ensure the right partipation, We requsest Turnover should be minimum 30 Crores per annum. Hence Revised suggested clause: Bidder should have an average annual turnover of at least ₹ 30 Crores per annum for last three financial years (2021-22, 2022-23 and 2023-24). It should be of individual company and not of should be of individual company and not of Group of Companies	No Change. Same as RFP.	
2	8	Eligility Criteria	The bidder should have at least 03 (three) successful implementations in India of the proposed WAAP solution of the OEM of which 01 (one) should be in the BFSI sector in the last 03 (three) years as on RFP date	Kindly confirm if the reference from Bidder asked is for the proposed Cloud WAAP only and not for an on prem WAF solution	Bidder to submit reference only for proposed cloud WAAP.	
3	57	ANNEXURE – 10 – Technical Compliance	The entire solution must be centrally managed for day to day operations. Reporting, policy creation, alerts management, web application protection configuration, etc must be managed from the management server	Kindly clarify if the central management should be common and a single dashboard to manage apps for both internal WAF and Cloud WAAP	Clarification: Central Management should be common and a single dashboard to manage Apps for both internal WAF and Cloud WAAP	
4	48	ANNEXURE – 10 – Technical Compliance	Proposed Solution must be a SaaS offering for WAAP (web application & api protection) along with DDOS (L3/L4 and L7) with client side defense & Bot Defense from single platform	Referring to Annex 4, there is no subscribtion line item of BOT Defence. Would like to know if Bot Defence is required from day1 or OEM just need to comply as per available service offering and BOT defense can procured in the future with a license addon?	Clarification: BOT Defence should should be available from Day 1 within the commercials	
5	53	ANNEXURE – 10 – Technical Compliance	The solution must be able to perform virtual patching for its protected web applications.	Requesting Stock Holding to clarify whether virtual patching refers to rule-based mitigation at Layer 7 (e.g., WAF signatures, custom policies) or includes OS/application-level vulnerability shielding, as the scope needs to be clearly defined for a cloud WAAP solution.	Clarification: Virtual patching refers to Layer 7 rule-based mitigation mechanisms, such as WAF signatures and custom detection rules, that provide immediate protection against known application-layer vulnerabilities without requiring changes to the application source code or server environment."	
6	58	ANNEXURE – 10 – Technical Compliance	(East-West Traffic) Internal Web Application Firewall	OEM would need more details with regards to East-West traffic for WAF. How many application need to be protected behind on-prem WAF? Is it only WAF or would need API Security as well? Also kindly confirm the nof of sites to deploy on prem WAF	Clarification: Approximately 100 servers at DC site and approximately 50 servers at DR site needs to be behind internal WAF. There are no internal API's to be monitored, however it may be introduced in the near future	
7	NA	General Queries	General Queries	Kindly request Stock Holding to provide the approximate number of API connections per month. This data is critical for bidders to accurately size the Bill of Quantity (BOQ) and infrastructure requirements for both East-West and North-South traffic patterns.	Clarification: There are Approximately 2 Crore API specific connections per month combining all the mentioned domains. However we understand all the requests url's for the mentioned domains has to be scanned.	
8	NA	General Queries	General Queries	Kindly confirm the no of Dynamically and continuously scan to be included for external attack surface to un-cover exposed web apps and APIs.	Clarification: No (webapps and API's) to be un-covered	
9	16	Scope Of Work	DNS Security: Use DNSSEC to secure DNS queries	Kindly confirm the no of primary and/or secondary zones to be included in the BOQ to be supported which should support DNS SEC as part of the solution	Clarification: Platform shall support multiple primary/secondary zones. Exact information shall be shared with the selected bidder	
10	8	Eligility Criteria	The bidder should have at least 03 (three) successful implementations in India of the proposed WAAP solution of the OEM of which 01 (one) should be in the BFSI sector in the last 03 (three) years as on RFP date	Request you to kindly revise the clause as per below- The bidder should have at least 03 (three) successful implementations in India of WAAP solution of the OEM of which 01 (one) should be in the BFSI sector in the last 03 (three) years as on RFP date	No Change. Same as RFP.	

11	8	Eligility Criteria	Bidder should have an average annual turnover of at least ₹ 2.8 Crores per annum for last three financial years (2021-22, 2022-23 and 2023-24). It should be of individual company and not of should be of individual company and not of Group of Companies	The requested turnover asked for Bidder is very less. To ensure the right partipation, We requsest Turnover should be minimum 30 Crores per annum. Hence Revised suggested clause: Bidder should have an average annual turnover of at least ₹ 30 Crores per annum for last three financial years (2021-22, 2022-23 and 2023-24). It should be of individual company and not of should be of individual company and not of Group of Companies	No Change. Same as RFP.
12	11	Technical Criteria	OEM solution must be positioned in the Leaders Quadrant of the latest IDC MarketScape, Gartner Magic Quadrant, or Forrester Wave reports for Web Application Firewall and API Protection.	Gartner has stopped publishing reports for WAAP since 2022. Request to include other leading Analysts like QKS SPARK Matrix or GigaOm for WAAP. Request to change the clause as per below: "OEM solution must be positioned in the Leaders or Major player Quadrant of the latest IDC MarketScape or QKS Spark Matrix, or GigaOm or Forrester Wave reports for Web Application Firewall and API Protection.	No Change. Same as RFP.
13	56	ANNEXURE – 10 – Technical Compliance	There should be centralized Monitoring and Management station with capability for log collection for minimum 180 days	Request to change as per below: "There should be centralized Monitoring and Management station with capability for log collection for minimum 90 days"	No Change. Same as RFP.
14	53	ANNEXURE – 10 – Technical Compliance	The solution must be able to perform virtual patching for its protected web applications.	Requesting Stock Holding to clarify whether virtual patching refers to rule-based mitigation at Layer 7 (e.g., WAF signatures, custom policies) or includes OS/application-level vulnerability shielding, as the scope needs to be clearly defined for a cloud WAAP solution.	Clarification: Virtual patching refers to Layer 7 rule-based mitigation mechanisms, such as WAF signatures and custom detection rules, that provide immediate protection against known application-layer vulnerabilities without requiring changes to the application source code or server environment."
15	14	Scope Of Work - A. Task & Deliveries	Supply, installation and commissioning of Cloud based WAF and DDOS service with clean bandwidth of 50Mbps/15TB/month.	Break-up of Throughput for Cloud WAF (external) and On- Prem WAF (Internal)	Clarification: We do not have Cloud WAF now. RFP clearly mentions about migrating from On-Premise WAF to Cloud WAAP.
16	17	19) Assessment & Planning	Define a timeline and plan for the migration process with minimal downtime 20) Cloud WAF Configuration	Please specify 20 as number of days or weeks	Clarification: RFP says "Define a timeline and plan for the migration process with minimal downtime." This has to be envisaged and planned by the selected bidder
17	14	Scope Of Work	Migration of on Prem WAF to Cloud WAF	Request to share High Level Architecture for detailed scope of work and clarity	Clarification: Will be shared with winning bidder
18	14	Scope Of Work	OEM should have WAF services hosted from India Data center only	Please confirm if any other considerations need to be made for the DC or any DC within India can be used for hosting the solution	Clarification: Within India any DC will do
19	8	Eligility Criteria	The bidder should have at least 03 (three) successful implementations in India of the proposed WAAP solution of the OEM of which 01 (one) should be in the BFSI sector in the last 03 (three) years as on RFP dat	Kindly Modify as: The bidder/OEM should have at least 03 (three) successful	No Change. Same as RFP.
20	8	Eligility Criteria	OEM should have WAF services hosted from India Data center only	Clause to be added as Cloud WAAP solution to be hosted on a MEITY empaneled DC to meet regulatory guidelines	No Change. Same as RFP.
21	3	Interest free Earnest Money Deposit (EMD) [*]	Rs.10,50,000/- (Indian Rupees Ten Lakhs Fifty Thousand only) by way of RTGS/NEFT to be paid to Stock Holding Corporation of India Limited as Earnest Money Deposit should be submitted separately before submission of online bids by way of RTGS/NEFT on StockHolding's Bank Account No.: 004103000033442 Bank: IDBI Bank (Nariman Point Branch) IFSC: IBKL0000004. Please share the UTR details to us on below mentioned email address.		EMD exempted for MSME bidders

22	11	Technical Bid Evaluation (Stage 2)	OEM solution must be positioned in the Leaders Quadrant of the latest IDC MarketScape, Gartner Magic Quadrant, or Forrester Wave reports for Web Application Firewall and API Protection.	Gartner has stopped publishing reports for WAAP since 2022. Request to include other leading Analysts like QKS SPARK Matrix or GigaOm for WAAP. Request to change the clause as per below: "OEM solution must be positioned in the Leaders or Major player Quadrant of the latest IDC MarketScape or QKS Spark Matrix, or GigaOm or Forrester Wave reports for Web Application Firewall and API Protection.	No Change
23	56	Monitoring, Logging & Reporting	There should be centralized Monitoring and Management station with capability for log collection for minimum 180 days	Request to change as per below : "There should be centralized Monitoring and Management station with capability for log collection for minimum 90 days"	No Change
24	29	ANNEXURE - 3 – Technical Criteria	The bidder should have at least 03 (three) successful implementations in India of the WAAP solution of the OEM of which 01 (one) should be in the BFSI sector in the last 03 (three) years as on RFP date	Request to change as per below: "The bidder should have at least 03 (three) successful implementations in India of the WAAP solution of the proposed OEM or similar Product OEM of which 01 (one) should be in the BFSI sector in the last 03 (three) years as on RFP date	No Change. Same as RFP.
25	29	ANNEXURE - 3 – Technical Criteria	3 projects : 10 Marks 4-5 Projects: 15 marks More than 5 Projects: 20 Marks	Request to change as per below :	No Change. Same as RFP.
26	20	Service level and Penalty	Uptime of WAF should be 99.9% on monthly basis. Partial or full unavailability of WAF shall be treated as downtime.	Request to change as per below : Uptime of WAF should be 99.999% on monthly basis.	No Change
27	58	ANNEXURE – 10 – Technical Compliance	The solution must support virtual patching for known vulnerabilities without requiring changes to application code.	Suggestion: There are higher chances of false positive with Virtual Patching since these patches are untested. Hence requesting you to kindly remove this point.	No Change
28	58	ANNEXURE – 10 – Technical Compliance	The solution must be able to perform virtual patching for its protected web applications	Suggestion: There are higher chances of false positive with Virtual Patching since these patches are untested.	No Change
29	60	ANNEXURE – 10 – Technical Compliance	The solution should also support sending of logs in CEF (Common Event Format) standard	Hence requesting you to kindly remove this point. CEF is a legacy format. It is recommended to use more advanced and latest JSON format. Hence requesting you to kindly add below point: The solution should also support sending of logs in JSON format	Clarification: CEF format is required for SIEM log data ingestion. No change
30	8	Eligility Criteria	The proposed OEM should have ISO 27000 and/or SOC2 Type2 series certifications	Request to change as per below : The proposed OEM should have ISO 27001 ISO 27701 ISO 27017 ISO 27018	No Change
31	NA	Suggestion for Addition of Clause	Suggestion for Addition of Clause	Solution should be able to support custom/non-standard ports for any application.	No Change to RFP clauses
32	NA	Suggestion for Addition of Clause	Suggestion for Addition of Clause	With the adoption of native mobile applications, cyber attackers using bots have found another attack surface to exploit. Without attestation, it is extremely difficult to validate whether a request to access an application originated from a real device.	No Change to RFP clauses

33	NA	Suggestion for Addition of Clause	Suggestion for Addition of Clause	It is key to have load balancing between multiple origin servers for high availability Hence requesting you to kindly add below point: "Load Balancing between origin servers and DC-DR"	No Change to RFP clauses
34	NA	Suggestion for Addition of Clause	Suggestion for Addition of Clause		No Change to RFP clauses
35	8	Eligility Criteria	limplementations in India of the proposed W A AP soliition of	Kindly Modify as: The bidder/OEM should have at least 03 (three) successful implementations in India of the proposed WAF/WAAP solution of which 01 (one) should be in the BFSI sector in the last 03 (three) years as on RFP date	No Change. Same as RFP.